

KINGBOW[®]

MA-200 時代前趨！全新質量！

ADVANCED TECHNOLOGY APPLYS TO
ALL KINDS OF FABRICS, BRAND NEW
QUALITY ENESURES REACHING PERFECTION



[®] 工業用裁剪機
STRAIGHT KNIFE CUTTING MACHINE

KINGBOW[®] 工業用裁剪機

INDUSTRIAL CUTTING MACHINE

SPECIFICATIONS規格表：

Models	MA-200U	MA-200DS	MA-200H
Blade Size 尺寸	Standard Blue 標準型藍色(U單速，DS雙速)		Heavy Duty Black 加強型黑色
	6" 7" 8" 9" 10" 11 1/2" 13"		
Cutting Capacity 裁剪尺寸	Less 2" Blade Length 裁剪最大尺寸依刀片尺寸減兩寸		
Rated Power 功率	1PH 0.65HP (500W)		1PH 0.95HP (700W)
	3PH 0.95HP (700W)		3PH 1.25HP (900W)
Speed 轉速	50HZ / 2850RPM	50HZ / 1425 / 2850RPM	50HZ / 2850RPM
	60HZ / 3450RPM	60HZ / 1725 / 3450RPM	60HZ / 3450RPM
Rated Voltages 電壓	1PHASE 100V , 110/120V , 220/240V		
	3PHASE 220V , 380V , 415V(400/440)		
Function 功能	Automatic Abrasive Belt Sharpener, Automatic Safety foot always down when sharpener is released. Automatic oil Lubrication & Sharpening Device, Fan guards & starting cover for safety. 自動磨刀裝置，自動潤滑系統及各項安全裝置		
Stroke 刀片行程	1 1/2 " (38mm)		
Accessories 標準配備	Machines are fitted with Alloy Blade. Accessory Bag with One piece extra blade, plug, oil pan, abrasive sharpener belts, tools. 全系列裝合金刀片，另件包內附刀片一片、插頭、砂布帶、機油及油壺、簡易工具		
Optional Blades 多種刀片可選購	HSS, Carbon Steel, Teflon Coated, Wave Knife. 高速碳鋼 各種碳鋼 鐵弗龍刀 波刀		
Weight 淨重/毛重	16.50/20.00KGS/3.80cu-ft/carton 台/箱		
Special Order 特殊機型承製	Model MA-200HDS, Heavy Duty & Dual Speed (Black Color) 特別承製加重暨雙速機型 MA-200HDS(黑色)		



琇達科技股份有限公司
MICRO TOP MFG. CORP.

台灣24252新北市新莊區化成路63巷37號
No.37, Lane. 63, Huacheng Rd., Xinzhuang Dist.,
New Taipei City 24252, Taiwan.
Tel : +886(02)2998-8668(rep.)
Fax : +886-2-29988568
E-mail : microtop@ms31.hinet.net

AGENT:



工業用裁剪機

INDUSTRIAL CUTTING MACHINE

MA-150U



SPECIFICATIONS :

Models	MA-150U
Blade Size	5" , 6"
Cutting Capacity	3 1/2" (85 mm) , 4 1/2" (110 mm)
Rated Power	0.25HP (200W)
Rated Voltages	1PHASE 100V , 110/120V , 220/240V 3PHASE 220V , 380V , 415V(400/440)
Single Speed	2Poles 2850RPM or 3450RPM
Standard Blades	High Speed Steel
Optional Blades	Carbon Steel, Teflon Coated, Wave Edge
Available	All Machines Fitted Hss Blade
Belts Available	Fine, Medium, Coarse,
Function	Automatic Abrasive Belt Sharpener, Automatic Safety foot always down when sharpener is released. Automatic oil Lubrication & Sharpening device, Fan guards & starting cover for safety.
Weight	10.00 / 12.5 KGS
Stroke	1 " (25 mm)
Special Order	MA-150 DS , Dual Speed Models



琇達科技股份有限公司
MICRO TOP MFG. CORP.

台灣24252新北市新莊區化成路63巷37號
No.37, Lane. 63, Huacheng Rd., Xinzhuang Dist.,
New Taipei City 24252, Taiwan.
Tel : +886(02)2998-8668(rep.)
Fax : +886-2-29988568
E-mail : microtop@ms31.hinet.net

AGENT: